Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	, 2	("6711677").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 15:52
L2	1	"6378070".PN.	USPAT; USOCR	OR	ON	2007/07/30 15:55
L3	5	(convert\$5 with encrypted\$5 adj2 data\$2 with command\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11
L4	267	(convert\$5 adj2 print\$5 adj1 data\$2 with command\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11
L5	78	L4 and @ad<"20000731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11
L6	2	("6711677").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 16:11
L7	1012	print\$5 adj2 data\$2 near5 command\$2 with transmit\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:21
L8	119	(stor\$5 manag\$5) adj10 print\$5 with (pair\$5 with (keys ids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11
L9	72	(stor\$5 manag\$5) adj10 (pair\$5 with (keys ids)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11

	T	T				
L10	5334	print\$5 adj2 data\$2 near5 command\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11
L11	20980	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11
L12	1649	L10 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11
L13	1	(convert\$5 adj2 encrypted\$5 adj2 data\$2 with command\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:11
L14	21330 ″	(358/1.1, 358/1.9, 358/1.11-1.18, 713/161).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:24
L15	407	7 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:30
L16	1	(common with key with print with ID). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:31
L17	1	(common same key same print same ID).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:32

L18	758	(IWASAKI near4 OSAMU).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:33
L19	546	(IWASAKI near4 OSAMU).in. and (canon.as.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:44
L20	14	(print\$3 adj4 prevent\$5 with common adj2 key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:47
S1	116	(stor\$5 manag\$5) adj10 print\$5 with (pair\$5 with (keys ids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 18:08
S2	67	(stor\$5 manag\$5) adj10 (pair\$5 with (keys ids)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 18:06
S3	2	("6711677").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 18:29
S4	1	(convert\$5 adj2 encrypted\$5 adj2 data\$2 with command\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 18:30
S5	5	(convert\$5 with encrypted\$5 adj2 data\$2 with command\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:52

S6	5082 	print\$5 adj2 data\$2 near5 command\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 18:36
S7	957	print\$5 adj2 data\$2 near5 command\$2 with transmit\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 18:38
58	245	(convert\$5 adj2 print\$5 adj1 data\$2 with command\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 18:44
S9		S8 and @ad<"20000731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 18:59
S10	19855	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 19:01
S11	1542	S6 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 19:01